\_\_\_\_\_\_

Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866) 217-9197 (toll free).

Reviewer: Durreshwar Anjum

Timestamp: Wed May 30 09:53:43 EDT 2007

\_\_\_\_\_\_

## Validated By CRFValidator v 1.0.2

Application No: 10585693 Version No: 2.0

0

Input Set:

Output Set:

**Started:** 2007-05-24 16:25:20.923 **Finished:** 2007-05-24 16:25:21.902

**Elapsed:** 0 hr(s) 0 min(s) 0 sec(s) 979 ms

Total Warnings: 18

No. of SeqIDs Defined: 18

Actual SeqID Count: 18

Total Errors:

Error code		Error Descript	ion								
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(1)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(2)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(3)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(4)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(5)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(6)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(7)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(8)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(9)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(10)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(11)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(12)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(13)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(14)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(15)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(16)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(17)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(18)

## SEQUENCE LISTING

<110>	KANEKA CORPORATION	
<120>	TRANSGENIC BIRD AND METHOD OF CONSTRUCTING THE SAME	
<130>	Q95455	
<140>	10585693	
<141>	2007-05-24	
<150>	us 10/585,693	
<151>	2006-07-10	
<150>	PCT/JP2004/016438	
<151>	2004-11-05	
<150>	JP 2004-003045	
<151>	2004-01-08	
<160>	18	
<170>	PatentIn version 3.3	
<210>	1	
<211>	28	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Designed sequence of a 5'-primer incorporating the Sal I	
	recognition site at the 5' terminal used for PCR amplification	of
	the chicken b-actin promoter fragment lacking the intron	
<400>	1	
acgcgt	cgac gtgcatgcac gctcattg	28
<210>	2	
<211>	26	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Designed sequence of a 3'-primer incorporating the Sal I recognition site at the 5' terminal used for PCR amplification the chicken b-actin promoter fragment lacking the intron	of
<400>	2	
acgcgt	cgac aacgcagcga ctcccg	26
<210>	3	
<211>	61	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Designed oligonucleotide acting as a sense chain in annealing t	0

construct the coding fragment of the chicken lysozyme secretion signal ctagaccatg aggtctttgc taatcttggt gctttgcttc ctgcccctgg ctgctctggg 61 <210> 4 <211> 57 <212> DNA <213> Artificial Sequence <220> <223> Designed oligonucleotide acting as an anti-sense chain in annealing to construct the coding fragment of the chicken lysozyme secretion signal <400> 4 ccccagagca gccaggggca ggaagcaaag caccaagatt agcaaagacc tcatggt <210> 5 <211> 26 <212> DNA <213> Artificial Sequence <220> <223> Designed sequence of a 5'-primer incorporating the Dra I recognition site at the 5' terminal used for PCR amplification of the scFv coding fragment <400> 5 gcgtttaaag tgacgttgga cgtccg 2.6 <210> 6 <211> 29 <212> DNA <213> Artificial Sequence <220> <223> Designed sequence of a 3'-primer incorporating the BamH I recognition site at the 5' terminal used for PCR amplification of the scFv coding fragment <400> 6 29 attaggatcc gcgcttaagg acggtcagg <210> 7 <211> 18 <212> DNA <213> Artificial Sequence <220> <223> Designed sequence of a 5'-primer used for PCR amplification of

the coding fragment of the human antibody heavy chain fA1

constant region

<400>	7	
caagctt	caa gggcccat	18
<210>	8	
<211>	19	
<212>	DNA	
<213>	Artificial Sequence	
	1	
<220>		
<223>	Designed sequence of a 3'-primer used for PCR amplification of	
	the coding fragment of the human antibody heavy chain fAl	
	constant region	
<400>	8	
atttaco	ccgg agacaggga	19
<210>	9	
<211>	35	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Designed sequence of a 5'-primer incorporating the BamHI	
	recognition site at the 5' terminal used for PCR amplification $% \left( 1\right) =\left( 1\right) \left( 1$	of
	the coding fragment of the human antibody heavy chain fA1 Fc	
	region	
100		
<400>	9	35
accagga	atcc gagcccaaat cttgtgacaa aactc	33
<210>	10	
<211>	30	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Designed sequence of a 3'-primer incorporating the Hind III	
	recognition site at the 5' terminal used for PCR amplification	of
	the coding fragment of the human antibody heavy chain fA1 Fc	
	region	
<400>	10	
agcaago		2.0
	ettt catttacccg gagacaggga	30
	cttt catttacccg gagacaggga	30
<210>	11	30
<210> <211>		30
	11 30 DNA	30
<211>	11 30	30
<211> <212> <213>	11 30 DNA	30
<211> <212>	11 30 DNA Artificial Sequence	
<211> <212> <213>	11 30 DNA	
<211> <212> <213>	11 30 DNA Artificial Sequence  Designed sequence of a 5'-primer used for PCR amplification of	
<211> <212> <213>	11 30 DNA Artificial Sequence  Designed sequence of a 5'-primer used for PCR amplification of	

```
<211> 25
<212> DNA
<213> Artificial Sequence
<220>
<223> Designed sequence of a 3'-primer used for PCR amplification of a
      393bp fragment in the gene of scFv
<400> 12
gagacttctg ctggtaccag ccata
                                                                      25
<210> 13
<211> 30
<212> DNA
<213> Artificial Sequence
<220>
<223> Designed sequence of a 5'-primer used for PCR amplification of a
      311bp fragment in the gene of GFP
<400> 13
agctcaccct gaaattcatc tgcaccactg
                                                                      30
<210> 14
<211> 30
<212> DNA
<213> Artificial Sequence
<220>
<223> Designed sequence of a 3'-primer used for PCR amplification of a
      311 bp fragment in the gene of GFP
<400> 14
                                                                      30
gttgtattcc agcttgtggc cgagaatgtt
<210> 15
<211> 27
<212> DNA
<213> Artificial Sequence
<220>
<223> Designed sequence of a 5'-primer used for PCR amplification of a
      355bp fragment in the gene of GFP
<400> 15
caacactggt cactaccttc acctatg
                                                                      27
<210> 16
<211> 25
<212> DNA
<213> Artificial Sequence
<220>
<223> Designed sequence of a 3'-primer used for PCR amplification of a
      355bp fragment in the gene of GFP
```

<400> 16

acggatccat cctcaatgtt gtgtc				
<210>	17			
<211>	26			
<212>	DNA			
<213>	Artificial Sequence			
<220>				
<223>	Designed sequence of a 5'-primer used for PCR amplification of	а		
	317bp fragment in the gene of ovalbumin			
<400>	17			
cgcttt	gata aacttccagg attcgg	26		
<210>	18			
<211>	27			
<212>	DNA			
<213>	Artificial Sequence			
<220>				
<223>	Designed sequence of a 3'-primer used for PCR amplification of	a		
	317bp fragment in the gene of ovalbumin			
<400>	18			
catctagctg tcttgcttaa gcgtaca				